

FIG. 1




FIG. 2




FIG. 3

9A

HOME ADDRESS (128BIT)	CoA (128BIT)	LIFE TIME (32BIT)	PREFIX LENGTH (8BIT)

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

HOME ADDRESS (128BIT)	CoA (128BIT)	LIFE TIME (32BIT)	PREFIX LENGTH (8BIT)	PRIORITY FLAG (1 BIT)

9B

FIG. 9




FIG. 10




FIG. 11

9C

HOME ADDRESS (128BIT)	CoA (128BIT)	LIFE TIME (32BIT)	PREFIX LENGTH (8BIT)	STATISTIC INFORMATION

FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

HOME ADDRESS (128BIT)	CoA (128BIT)	LIFE TIME (32BIT)	PREFIX LENGTH (8BIT)	REDUNDANCY FLAG (1 BIT)

FIG. 19




FIG. 20




FIG. 21




FIG. 23




FIG. 24




FIG. 25

LB23A

MN HOME ADDRESS	FORWARD DESTINATION HA ADDRESS	REDUNDANCY CONTROL INDICATING INFORMATION	STANDBY SYSTEM HA ADDRESS

FIG. 26




FIG. 27




FIG. 28

